

Acrow props



Sturdy adjustable supports designed to support ceilings, walls and floors whilst repairs and alterations take place.

| Sizes | Closed | Open |
|--------|-----------------|-------------------|
| Size 0 | 1.1m (3ft 6in) | 1.8m (6ft 0in) |
| Size 1 | 1.8m (5ft 9in) | 3.12m (10ft 3in) |
| Size 2 | 1.98m (6ft 6in) | 3.35m (10ft 10in) |
| Size 4 | 3.2m (10ft 6in) | 4.87m (16ft 0in) |

| weekly min hire rate | | |
|----------------------|------------|-------|
| 01001 | Size 0 - 2 | £4.00 |
| 01002 | Size 4 | £5.50 |

Strong boys



These strong boys sit on top of steel acrow props. They act as supports and allow you to remove walls and fit RSJs or lintels.

Maximum working height 3 metres.
Maximum safe working load 340kg.

| weekly min hire rate | | |
|----------------------|--|-------|
| 01003 | | £7.50 |

Trench props



Strong steel adjustable prop with clawed end plates to give maximum grip to trench sheets and shuttering.

| Sizes | Closed | Open |
|--------|-----------------|-----------------|
| Size 1 | 0.47m (1ft 6in) | 0.68m (2ft 3in) |
| Size 2 | 0.68m (2ft 3in) | 1.09m (3ft 7in) |
| Size 3 | 1.0m (3ft 4in) | 1.67m (5ft 6in) |

| weekly min hire rate | | |
|----------------------|--|-------|
| 01005 | | £4.50 |

Aluminium scaffold towers



Aluminium access towers are lightweight, simple and quick to erect, and are ideal for those larger jobs where a ladder is not suitable or stable enough.

All towers are supplied with the necessary platforms, toe boards, braces and castors and conform to the European safety standard HD1004.

These towers can be supplied in single width 2.5m (8ft) x 0.9m (3ft) or double width 2.5m (8ft) x 1.5m (5ft). Please specify base size required when ordering.

Safety Notice:

The height of the working platform on mobile or free standing towers must not be more than three times the smallest base dimension (including outriggers) when used outside or three and a half times when used inside. If you wish to exceed this height the tower must be properly secured to prevent toppling in any direction. All measurements are approximate and for general guidance only.

| Code | Height | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|----------------|--------|--------|---------|---------|------------|
| 01011 | 2m (6ft 7in) | £16.50 | £27.50 | £35.00 | £44.50 | £49.50 |
| 01012 | 3m (9ft 10in) | £20.00 | £33.00 | £42.00 | £54.00 | £60.00 |
| 01013 | 4m (13ft 2in) | £24.50 | £40.50 | £51.50 | £66.50 | £73.50 |
| 01014 | 5m (16ft 5in) | £28.00 | £46.00 | £58.50 | £75.00 | £83.00 |
| 01015 | 6m (19ft 8in) | £32.50 | £53.50 | £68.00 | £87.50 | £97.00 |
| 01016 | 7m (23ft 10in) | £36.00 | £59.50 | £75.50 | £97.00 | £107.50 |
| 01017 | 8m (26ft 4in) | £40.00 | £66.00 | £84.00 | £108.00 | £120.00 |
| 01018 | 9m (29ft 7in) | £43.50 | £72.50 | £92.50 | £118.50 | £131.50 |
| 01019 | 10m (33ft) | £48.00 | £80.00 | £101.00 | £130.00 | £144.00 |
| 01020 | 12m (39ft 6in) | £55.00 | £91.50 | £116.50 | £149.50 | £166.00 |

The above aluminium towers whether double or single width as per rate above.



Aluminium tower platforms



Used to give you an extra working platform on aluminium towers, or to link two towers together for a walkway.

Code 01023

| | |
|------------|--------|
| 4 hrs | £5.50 |
| 1 day | £8.50 |
| 2 days | £10.50 |
| 3 days | £13.50 |
| 4 - 7 days | £15.00 |

When used as a walkway hand rails are advised.



Chimney scaffolding



A simple and easy system for working on the ridge or side of a roof that can also be used on dormer windows. This system can not be used on gable ends or hip roofs.

| Code | Size | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|-----------|--------|--------|---------|---------|------------|
| 01021 | Half Unit | £29.50 | £49.00 | £62.00 | £80.00 | £88.50 |
| 01022 | Full Unit | £58.00 | £96.00 | £122.50 | £157.50 | £174.50 |

Steel tower scaffolding



This range of access towers requires no special skills to erect and allows work to be carried out in a much safer manner than working off a ladder.

base size 1.2m (4ft) x 0.6m (2ft)

| Code | Platform Height | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|-----------------|--------|--------|--------|--------|------------|
| 01036 | 0.6m (2ft) | £6.00 | £9.50 | £12.00 | £15.50 | £17.00 |
| 01037 | 1.2m (4ft) | £7.00 | £11.00 | £14.00 | £18.00 | £20.00 |
| 01038 | 1.8m (6ft) | £9.00 | £15.00 | £19.00 | £24.00 | £26.50 |
| 01039 | 2.4m (8ft) | £10.50 | £17.00 | £21.50 | £27.50 | £30.50 |

Extra wheels/feet and outriggers as below

base size 1.2m (4ft) x 1.2m (4ft)

| Code | Platform Height | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|-----------------|--------|--------|--------|--------|------------|
| 01040 | 2.4m (8ft) | £10.00 | £16.00 | £20.00 | £26.00 | £28.50 |
| 01041 | 3.0m (10ft) | £10.50 | £17.50 | £22.50 | £28.50 | £31.50 |
| 01042 | 3.6m (12ft) | £12.50 | £20.50 | £26.00 | £33.50 | £37.00 |
| 01043 | 4.2m (14ft) | £13.50 | £22.00 | £28.00 | £36.00 | £40.00 |
| 0104 | Wheels/Feet* | £4.50 | £7.00 | £8.50 | £11.00 | £12.00 |
| 01045 | Outriggers x 4 | £5.00 | £8.00 | £10.00 | £12.50 | £14.00 |

*Adjustable

weekly min hire rate

| | | |
|-------|----------------------------|-------|
| 01046 | each additional 0.6m (2ft) | £6.00 |
|-------|----------------------------|-------|



All of our ladders are either class 1 or conform to EN131. They are of top quality and made of heavy-duty aluminium to B.S. specifications.

Double Section

2.4m (8ft) - 4.2m (14ft)
 3.4m (11ft) - 6.2m (21ft)
 4.2m (14ft) - 7.8m (26ft)

Triple Section

2.4m (8ft) - 5.9m (20ft)
 3.9m (13ft) - 10.4m (35ft)
 4.8m (16ft) - 12.4m (40ft)
 4.0m (47ft)



Ladders glass fibre

double section

| Code | Height | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|-------------|--------|--------|--------|--------|------------|
| 01051 | 2.4m - 4.2m | £7.50 | £12.50 | £16.00 | £20.50 | £22.50 |
| 01052 | 3.4m - 6.2m | £9.00 | £14.50 | £18.00 | £23.00 | £25.50 |
| 01053 | 4.2m - 7.8m | £10.00 | £16.00 | £20.00 | £26.00 | £28.50 |
| 01054 | 4.9m - 9.2m | £11.50 | £18.50 | £23.50 | £30.00 | £33.00 |

triple section

| Code | Height | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|--------------|--------|--------|--------|--------|------------|
| 01055 | 2.4m - 5.9m | £10.00 | £16.00 | £20.00 | £26.00 | £28.50 |
| 01056 | 3.9m - 10.4m | £12.00 | £20.00 | £25.00 | £32.00 | £35.50 |
| 01057 | 4.8m - 12.4m | £19.00 | £31.50 | £40.00 | £51.50 | £57.00 |
| 01058 | 5.4m - 14.0m | £24.50 | £40.50 | £51.50 | £66.50 | £73.50 |



Specially designed for use near electrical cables or over head power cables, these ladders are much safer than aluminium ladders.

Double Section

2.9m (9ft 6in) - 4.9m (16ft)
 3.5m (11ft 6in) - 6.0m (19ft 6in)



| Code | Height | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|-------------|--------|--------|--------|--------|------------|
| 01059 | 2.9m - 4.9m | £16.00 | £26.00 | £33.00 | £42.50 | £47.00 |
| 01060 | 3.5m - 6.0m | £18.50 | £30.50 | £38.50 | £49.50 | £55.00 |

Ladder stairwell

This new stairwell ladder is designed to allow work to be carried out on standard and commercial staircases without the need for scaffold. It provides the user with safe and easy access to the most difficult areas.



Code 01087

| | |
|------------|--------|
| 4 hrs | £11.50 |
| 1 day | £19.00 |
| 2 days | £24.50 |
| 3 days | £31.50 |
| 4 - 7 days | £34.50 |

Closed Height

2.75m

Extended Height as a freestanding ladder

4.2m

Extended Height as a 3-section ladder

5.5m

Ladder multi-purpose



This folding ladder can be used to form a safe working platform, or can be set up as a ladder or stepladder for decorating and light trade use.



Code 01061

| | |
|------------|--------|
| 4 hrs | £10.50 |
| 1 day | £17.00 |
| 2 days | £21.50 |
| 3 days | £27.50 |
| 4 - 7 days | £30.50 |

Ladder 3 way



This lightweight and versatile ladder can be used as a three-section ladder or stepladder, and is ideal for use in hallways and stairways.

Height as standing ladder

2.2m (8ft) - 3.6m (11ft)

Height as 2 or 3 part ladder

2.2m (8ft) - 5m (16ft)



Code 01062

| | |
|------------|--------|
| 4 hrs | £12.00 |
| 1 day | £20.00 |
| 2 days | £25.00 |
| 3 days | £32.00 |
| 4 - 7 days | £35.50 |

Roof ladder



This lightweight aluminium ladder hooks over the edge of the roof ridge. It gives a safe and easy way to gain access to a sloping roof for repairs and maintenance.

Ladder Length
5.0m (16ft)

Code 01063

| | |
|------------|--------|
| 4 hrs | £10.00 |
| 1 day | £16.00 |
| 2 days | £20.00 |
| 3 days | £26.00 |
| 4 - 7 days | £28.50 |



Ladder stand off bracket



This ladder stand off bracket is used to increase stability. It keeps the ladder off the wall and is invaluable when painting. It also helps protect gutters from damage.



Code 01065

| | |
|------------|--------|
| 4 hrs | £4.00 |
| 1 day | £6.00 |
| 2 days | £7.50 |
| 3 days | £9.50 |
| 4 - 7 days | £10.50 |

Roof ladder extension



Simple and easy to attach by means of a pin and safety chain allowing you to extend a standard roof ladder to 6.8m (22ft).

Ladder Length
1.8m (6ft)

Code 01064

| | |
|------------|--------|
| 4 hrs | £6.00 |
| 1 day | £10.00 |
| 2 days | £13.00 |
| 3 days | £16.50 |
| 4 - 7 days | £18.00 |



Ladder safety foot



This non-slip safety foot will hold your ladder firm and improves safety whatever the surface.



Code 01066

| | |
|------------|-------|
| 4 hrs | £3.50 |
| 1 day | £5.70 |
| 2 days | £6.00 |
| 3 days | £7.70 |
| 4 - 7 days | £8.50 |



Step ladders aluminium and timber



Industrial platform and swing back steps, this range of steps are strong, lightweight and can be used for decorating and maintenance work.

Swingback Steps

| Tread | Height |
|----------|---------------|
| 6 tread | 1.26m (4' 2") |
| 8 tread | 1.70m (5' 7") |
| 10 tread | 2.17m (7' 1") |
| 12 tread | 2.57m (8' 5") |

Platform Steps

| Tread | Height |
|----------|---------------|
| 6 tread | 1.91m (6' 3") |
| 8 tread | 2.31m (7' 7") |
| 10 tread | 2.74m (9') |
| 12 tread | 3.2m (10' 6") |



| Code | Tread | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|----------|--------|--------|--------|--------|------------|
| 01067 | 6 Tread | £6.00 | £9.50 | £12.00 | £15.50 | £17.00 |
| 01068 | 8 Tread | £6.00 | £10.00 | £13.00 | £16.50 | £18.00 |
| 01069 | 10 Tread | £9.50 | £15.50 | £19.50 | £25.00 | £27.50 |
| 01070 | 12 Tread | £10.50 | £17.50 | £22.50 | £28.50 | £31.50 |

Step ladders glass fibre



These stepladders are made of glass fibre and are designed for use where electrical hazards exist. They are safe, clean, lightweight and non-conductive.

| Tread |
|----------|
| 6 tread |
| 8 tread |
| 10 tread |

| Height |
|---------------|
| 1.26m (4' 2") |
| 1.70m (5' 7") |
| 2.17m (7' 1") |



| Code | Tread | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|----------|--------|--------|--------|--------|------------|
| 01071 | 6 Tread | £10.00 | £16.00 | £20.00 | £26.00 | £28.50 |
| 01072 | 8 Tread | £11.50 | £18.50 | £23.50 | £30.00 | £33.00 |
| 01073 | 10 Tread | £12.00 | £20.00 | £25.00 | £32.00 | £35.50 |

Staging guard-rails and posts



Guard-rails are required when working more than 1.8m (6ft) above ground level. They are available in lengths of 2.2 metres. Price per pair.



| Code 01074 | |
|------------|--------|
| 4 hrs | £6.00 |
| 1 day | £9.50 |
| 2 days | £12.00 |
| 3 days | £15.50 |
| 4 - 7 days | £17.00 |

Mobile access platform



This trailer-mounted access platform will reach 12.2m (40ft) and is powered by heavy-duty batteries.

It has hydraulic powered outriggers as standard and is ideal for reaching those awkward places that a tower scaffold will not reach.



A full range of powered access equipment is available for hire or sale £POA.

hire rate

01075

£POA



Decorators trestles and staging boards



Strong alloy trestles provide a safe working platform for a variety of jobs and can be used to support staging boards or scaffold boards.

Lightweight staging boards can be used between tower scaffolding and decorators trestles, providing a strong, safe working platform. Used with the handrail system provides added safety.

| Height | Length |
|------------|---------------------------|
| 1.8m (6ft) | 3.0m (10ft) - 4.2m (14ft) |
| 2.4m (8ft) | 4.8m (16ft) - 6.0m (20ft) |
| | 6.6m (22ft) - 7.2m (24ft) |



When working above 1.8m (6ft) you are required to use hand/guard-rails.

Safe working load 275kg (600lb). Uniformly distributed.

decorators trestles

| Code | Height | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|--------|-------|--------|--------|--------|------------|
| 01076 | 1.8m | £5.50 | £9.00 | £11.50 | £14.50 | £16.00 |
| 01077 | 2.4m | £6.50 | £10.50 | £13.50 | £17.50 | £19.00 |

staging boards

| Code | Length | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|-------------|--------|--------|--------|--------|------------|
| 01078 | 3.0m - 4.2m | £6.00 | £10.00 | £13.00 | £16.50 | £18.00 |
| 01079 | 4.8m - 6.0m | £9.00 | £14.50 | £18.00 | £23.00 | £25.50 |
| 01080 | 6.6m - 7.2m | £10.50 | £17.50 | £22.50 | £28.50 | £31.50 |

Masons metal trestles




These adjustable metal trestles can be used to support staging boards or scaffold boards, providing a safe working platform for a wide range of building work.

| Sizes | Dimensions |
|--------|----------------------------------|
| Size 1 | 0.5m (1ft 7in) to 0.8m (2ft 9in) |
| Size 3 | 1.1m (3ft 6in) to 1.8m (6ft) |



| Code | Size | 4 hrs | 1 day | 2 days | 3 days | 4 - 7 days |
|-------|--------|-------|-------|--------|--------|------------|
| 01081 | Size 1 | £2.00 | £3.10 | £3.90 | £5.00 | £5.50 |
| 01082 | Size 3 | £2.00 | £3.10 | £3.90 | £5.00 | £5.50 |

Scaffold boards and Supadek boards



| Sizes | Dimensions |
|--------|-------------|
| Size 1 | 1.8m (6ft) |
| Size 2 | 3.0m (10ft) |
| Size 3 | 3.9m (13ft) |

| Code | Size | Weekly minimum hire rate |
|-------|---------------------------|--------------------------|
| 01084 | Scaffold Board Size 1 - 2 | £2.20 |
| 01085 | Scaffold Board Size 3 | £2.70 |
| 01088 | Supadek Board Size 1 -2 | £3.60 |
| 01089 | Supadek Board Size 3 | £5.00 |



Plasterers hop ups (supermate)



Supermate is a support module, 500mm high with three slots -two accommodate standard scaffold boards (38mm wide) and give a height difference of 100mm. The third is 50mm wide and 100mm deep, accommodating a variety of timber sizes or even scaffold tube.

| Code 01086 | |
|------------|-------|
| 4 hrs | £2.50 |
| 1 day | £4.10 |
| 2 days | £5.20 |
| 3 days | £6.70 |
| 4 - 7 days | £7.40 |

